

**From:** Brown, Michelle  
**To:** [Charters, David](#)  
**Cc:** [R6HarveyInfo](#)  
**Subject:** FW: Validation Report - Arkema Water Samples 09012017  
**Date:** Tuesday, September 12, 2017 10:39:13 AM  
**Attachments:** [DV Report Hurricane Harvey- Arkema MOBILE LAB WO C17I001.pdf](#)

---

## PHILIS Data Validation Report

---

**From:** Brown, Michelle  
**Sent:** Monday, September 04, 2017 5:56 PM  
**To:** 'Rauscher, Jon' <Rauscher.Jon@epa.gov>; 'Turner.Philip@epa.gov' <Turner.Philip@epa.gov>  
**Cc:** R6HarveyInfo <R6HarveyInfo@epa.gov>; R6HarveyENVL <R6HarveyENVL@epa.gov>  
**Subject:** Validation Report - Arkema Water Samples 09012017

Attached is the validated data report from the water samples collected from Arkema 9/1/2017. The data is being uploaded into the Scribe database with the qualifiers and export tables, if required can be provided tomorrow 9/5. Thank you - Michelle

**Please note our new office address below.**



**Michelle Brown, CHMM**

**Weston Solutions, Inc.**

2600 Dallas Parkway, Suite 280

Frisco, Texas 75034

Direct: 469-666-5527

Cell: 972-977-2644

[Michelle.Brown@westonsolutions.com](mailto:Michelle.Brown@westonsolutions.com)

**CONFIDENTIALITY:** This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.